MONTIERA

AT525L



MONTIERA

AT525L





AT525L

TECHNICAL SPECIFICATIONS

4x4 / EPS



495,3cm³	32kW	46Nm
Engine Displacement	Max Power	Max Torque
265mm	**95km/h**	**3500lbs**
Graund Clearance	Max Speed	Winch

MOTOR and PERFORMANCE

Engine Type	Single Cylinder, 4 Stroke
Cylinder Bore x Stroke	91 x 76.2 mm
Fuel System	EFI
Cooling System	Liquid Cooled
Starter	Electric
Transmission	CVT, L-H-N-R-P

SUSPENSION, RIMS, and TIRES

Front / Rear Suspension	Double A-Arm Independent
Front / Rear Suspension Travel	180 mm / 220 mm
Front Tires / Rim	27x8-12" Wanda / Alloy
Rear Tires / Rim	27x10-12" Wanda / Alloy
Front / Rear Brake	Disc / Disc
Shocks	Preloaded, Oil Damped

DIMENSIONS and CHASSIS

Length x Width x Height	2215 x 1172 x 1260 mm
Wheelbase	1460 mm
Front / Rear Tread	969 mm / 919 mm
Graund Clearance	265 mm
Turning Radius	3 m

WEIGHTS and CAPACITIES

Net Weight	375 kg / 400 kg
Max Carrying Capacity	250 kg
Towing Capacity	600 kg
Fuel Capacity	23 L
Rack Capacity	30 kg / 60 kg

ADVANCED FEATURES

EPS (Electric Power Steering), Rear Tow Hitch and Trailer Ball, Hydraulic Shock Absorbers, Handlebar Protection Bar, Seat Backrest, Toohed Footrest (Alluminium)

TFT Display



LED Headlights



MONTIERA

Where The Asphalt Ends, The Adventure Begins.



discover online: **www.montieraglobal.com**

REQUEST A TEST RIDE

DEALER LOCATIONS