MONTIERA

UT1000LX



MONTIERA

UT1000LX



UT1000LX

TECHNICAL SPECIFICATIONS

4x4 / EPS



976cm³	53kW	85Nm
Engine Displacement	Max Power	Max Torque
310mm	**100km/h**	**3500lbs**
Graund Clearance	Max Speed	Winch

MOTOR and PERFORMANCE

Engine Type	V-Twin Cylinder, 4 Stroke
Cylinder Bore x Stroke	91 x 75 mm
Fuel System	EFI
Cooling System	Liquid Cooled
Starter	Electric
Transmission	CVT, L-H-N-R-P

SUSPENSION, RIMS, and TIRES

Front / Rear Suspension	Double A-Arm Independent
Front / Rear Suspension Travel	254 mm / 245 mm
Front Tires / Rim	27x9-14" / Alloy
Rear Tires / Rim	27x11-14" / Alloy
Front / Rear Brake	Disc / Disc
Shocks	Air Suspension Shock Absorber

DIMENSIONS and CHASSIS

Length x Width x Height	3095 x 1700 x 2090 mm
Wheelbase	2145 mm
Front / Rear Tread	1340 mm / 1293 mm
Graund Clearance	310 mm
Turning Radius	5 m

WEIGHTS and CAPACITIES

Net Weight	738 kg
Max Carrying Capacity	578 kg
Towing Capacity	800 kg
Fuel Capacity	48 L
Crate Dimensions	2970 x 1800 x 1226 mm

STANDARD EQUIPMENT

EPS (Electric Power Steering), Remote Control, Tow Hitch with Trailer Ball, Touchscreen LCD Display with Speakers and Rearview Camera, Electronic Parking Brake

Fully Integrated Instrument Panel



User-Friendly Multimedia Panel



MONTIERA

Catch Freedom on Your Own Path



EXPLORE THE WORLD OF MONTIERA

discover online: **www.montieraglobal.com**

REQUEST A TEST RIDE

DEALER LOCATIONS